

Приспособления для стоек

Описание

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: deg@nt-rt.ru || сайт: <https://dino-lite.nt-rt.ru/>

Dino-Lite Dunwell for Dino-Lite

MS16J



Ring Holder Arm

Ring Holder Inspection Arm, MS16J. This ring mount has a Spring-loaded hook collar which provides to securely hold a ring for inspection under a Dino-Lite with a rotational or swinging movement. Optional Use: Double-sided tape included to secure MS16J to a desired surface/stand Additional Information: 1.5mm hex key (not included) can be used to tighten or loosen the tension on swing arm or rotation.

Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

Dino-Lite Dunwell for Dino-Lite

MS16D



Subject holder

Subject holder designed to securely hold and position smaller sized objects for detailed inspection. This holder can be used directly attached to other accessories such as the MS33A, MS15X-S2 or used independently. Dino-Lite microscope and stand provide the user with a wide range and variety of positioning configurations of the observed target/specimen. The MS16D allows more flexibility in the use of various illumination techniques, including backlighting, by suspending the target/specimen above the base stage or work surface.

Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

Dino-Lite Dunwell for Dino-Lite

MS16K



Insect Holder Arm

Insect Holder Inspection Arm, MS16K. This ring mount has a spring-loaded hook collar which provides to securely hold an insect for inspection under a Dino-Lite with a rotational or swinging movement. Optional Use: Double-sided tape included to secure MS16K to a desired surface/stand Additional Information: 1.5mm hex key (not included) can be used to tighten or loosen the tension on swing arm or rotation.

Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

Dino-Lite Dunwell for Dino-Lite

MSSR-22



Breadboard adapter plate for Dino-Lite stands

MSRR-22 breadboard adapter plate provides attachment points for Dino-Lite stands and tripod-mounted accessories, allowing for simple integrations into breadboards, commonly used for workbenches, machine vision, and CNC workstations.

The MSSR-22 is fitted with 8x M6-1.0, and 10x 1/4in (tripod) threaded holes to match common breadboard designs and 2x M20-1.0 (for Dino-Lite RK-04/05/06 stands), and 4x M4-0.7 (for the Dino-Lite RK-10A stand).

- [MSSR-22 Attachment Guide \(.jpg\)](#)

Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

Dino-Lite Dunwell for Dino-Lite

MSSR-17



Attachment adapter for Polarizer Backlight Stage

Attachment adapter to secure BL-ZW1/BL-ZW2 onto MS35B/RK-06A/RK-10A stands

BACKLIGHT STAGE & STAND SOLD SEPARATELY

Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

Dino-Lite Dino-Lite

KM-01



Knob Motor Control for Dino-Lite

The KM-01 is an optional attachment that allows control of the Dino-Lite microscopes focus knob without touching the device. It can be used in specific conditions when the Dino-Lite microscope has to be isolated during use, such as: using it in a hazardous environment, when integrated into a machine, used in an enclosed space, and etc.

Controlling the Dino-Lite can be done by using a control box tethered to the KM-01 or use with DinoCapture 2.0 software. When using with DinoCapture 2.0, the knob motor can be controlled by the right and left mouse buttons similar to the KM-01's control box. MicroTouch on the control box works as a snapshot trigger to take pictures directly into the software.

Motor: 12 V, 9.5 RPM

KM-01 Compatibility

Model Series	Compatible
Basic	Yes
Plus and Pro	Yes
Premier AM/AD	Yes
Edge USB 2.0 – AM	Yes
All Edge AF	Yes
Edge 3.0 AM73xxx	Yes
EdgePLUS 8MP AM8xxx	Yes

Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
------------	-----------------------------------	------------------	---------

Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

Dino-Lite Dunwell for Dino-Lite

MSA2P



Extension Pole for MS35B

Optional additional pole for MS35B, MS36B, & MS45BXD2. It provides an extra 11 inches of vertical working distance from the object for those seeking a larger field of view. Up to 22 inches with dual poles Option (18" of vertical working distance). The pole can be conveniently be added or removed for either work with one or dual poles.

For RK-06A extension pole, see RK-06A-PL

Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

Dino-Lite Dunwell for Dino-Lite

MSA2T



Angle Flexibility Addon for RK-10A

The MSA2T is an optional add-on accessory to the RK-10A / RK-06A stand (not included). This attachment allows users to reach up to 12" viewing height (RK-10A max 8" without MSA2T) with the stand and additional rotation for angled viewing. Simply adjust the RK-10A / RK-06A to the desired angle and attach the MSA2T to the peg, secure with set screw and attach the included holster for additional viewing height. The included MSA2HL holster also can connect directly to the MSA2T's peg for additional viewing angles. Simply remove the top threaded sleeve on the MSA2T's peg. Screw on the holster with its rear internal threading (remove the holster set screw). Secure the holster at the desired angle by adjusting the longer threaded sleeve of the MSA2T's peg.

Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

Dino-Lite Dunwell for Dino-Lite

MSAR5B



Rotating Slide Holder for BL-ZW1 / BL-ZW2 Backlight

The MSAR5B attaches directly on top of the BL-ZW1 or BL-ZW2 and allows for easy rotation of slides on top of the polarizer. When used with a polarized Dino-Lite model, users can view slides such as thin sections with cross-polarization.

Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

Dino-Lite Dunwell for Dino-Lite

MSAK810A



Flex Arm for MS35B / RK-06A

Updated articulating 12" flex arm that provides additional viewing angles including the ability to rotate the view of the microscope without adjusting the position of the arm. This is designed for use with the MS35B / RK-06A (not included). The Flex arm can be positioned to desired viewing ranges. The addition viewing angles gives the user an in-depth visual inspection. *This is an optional accessory, the MS35B / RK-06A is not included.

Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

Dino-Lite Dunwell for Dino-Lite

MSAK815



Ring Holder for MS35B

An attachment arm subject holder accessory that provides a connection to hold an object for multiple view angles. The MSAK815 was specially designed to help aid in the viewing of rings and has a specially designed hook to hold rings for inspection. Can be used for either MS35B, MS36B, or MS45BX-D2.

Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

Dino-Lite Dino-Lite

RK-05-VX



Vertical Extension for RK-05, RK-04, RK-04F

RK-05-VX is an optional vertical arm attachment is available that increases the working distance for Dino-Lite with the RK-05, RK-04, and RK-04F. Stand is not included. This item is an optional accessory.

Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

Dino-Lite Dino-Lite

RK-06-PL



Extension Pole for RK-06A, RK-06FA, RK-06AE

RK-06-PL is an optional accessory extension pole to double the height of the RK-06A, RK-06FA, RK-06AE stands

Additional Compatible Stands:

- MS36A-A2
- MS36A-A3
- MS36A-C2

For MS35B extension pole see: MSA2P

Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

Dino-Lite Dino-Lite

RK-10-PX2



Positioning Arm for RK-10A and more

Facilitate finding or tracing targets with the RK-10-PX2 XY positioning arm. RK-10-PX-2 works with RK-10, RK-06, or any setups with a 10 mm rod.

- Travel Range: 2.3 x 2.5 cm

Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

Dino-Lite Dino-Lite

RK-10-EX



Rotating Arm for RK-10A

RK-10-EX is an optional horizontal arm attachment to increase the viewing area for Dino-Lite with the RK-10A. RK-10A is not included. This item is an optional accessory.

Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

Dino-Lite Dino-Lite

RK-10-FX



Flex-arm Addon for RK-10A

RK-10-FX is an optional flexible arm extension is available that increase RK-10A / RK-06A's effective range of motion with good flexibility. With pivot rotating head, the RK-10-FX also allows observations from various angles.

Note: The RK-10A / RK-06A not included. This item is an optional accessory.

Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

Dino-Lite Dino-Lite

RK-10-VX



Vertical Extension for RK-10A

RK-10-VX is an optional vertical arm attachment is available that increase working distance for Dino-Lite with the RK-10A / RK-06A. Stand is not included. This item is an optional accessory.

Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

Dino-Lite Dino-Lite

SS-M2



Petri Dish Holder for RK-10A

SS-M2 is a height-adjustable petri dish holder with a two-way configuration setup to facilitate inverted and upright viewing with the use of any Dino-Lite microscope. SS-M2 is only compatible with the RK-10A rack.

Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: deg@nt-rt.ru || сайт: <https://dino-lite.nt-rt.ru/>