

Другие аксессуары

Описание

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: deg@nt-rt.ru || сайт: <https://dino-lite.nt-rt.ru/>

MS-15X-S1

Compact XY stage with attachable 360° rotating turntable. Smooth precision controls so you can easily and quickly examine small specimens with 6.6cm of X and Y axis in millimeters and inches, allowing you to navigate without estimating points of interest. The inspection stage compact size takes up minimal space by only taking up 13.7cm x 8.2cm of desk space, creating a precision space saving Dino-Lite inspection workstation.



Model	MS-15X-S1 Multi-purpose Adapter
Rotating base	5cm Diameter 360 degree rotation
Specimen plate	11.6cm (L) x 7.3cm (W) x 2.4cm (H) 6cm x 6cm X&Y movement Vernier scale
Unit Weight	646g
Unit Dimension	15.2cm (L) x 12.8cm (W) x 8.4cm (H)

SW-F1

The SW-F1 allows you to take a picture with a simple step from your foot using our Dino-Lite or Dino-Eye digital microscopy solutions. The foot pedal is compatible with both DinoXcope for Macintosh computers and DinoCapture 2.0 for PC, making it a single accessory for all users (Not compatible with DinoScope and prior version of DinoCapture). There is no software CD required, simply plug in the device into your USB port and you can use it in conjunction with our Dino-Lite or Dino-Eye digital package.

The foot pedal is great for operators that require great attention on what they are handling. Great for doctors, assembly line workers, professionals, or casual users that require the additional ease of a foot pedal to take a picture.



Multipurpose USB foot pedal

A foot pedal control provide more convenience and productivity by assisting in tasks such as picture taking or locating the control in a more convenient location.

Model	SW-F1 Foot Pedal
Unit Dimension	102mm (L), 70mm (W), 30mm (H)
Unit Weight	300g

KM-01

The KM-01 allows control of the Dino-Lite microscopes* focus knob without touching the device. It can be used in specific conditions when the Dino-Lite microscope has to be isolated during use, such as: using it in a hazardous environment, when integrated into a machine, used in an enclosed space, and etc.

Controlling the Dino-Lite can be done by using a control box tethered to the KM-01 or use with DinoCapture 2.0 software. When using with DinoCapture 2.0, the knob motor can be controlled by the right and left mouse buttons the same way as the KM-01's control box; also, the MicroTouch on the control box works as a snapshot trigger to take pictures directly into the software.

* The KM-01 is compatible to certain Dino-Lite microscopes. Please consult your local distributor or reseller for compatible Dino-Lite models.



Touch control

With touch controls on the KM-01's control box, it provides instant response and more durability.



Usable with DinoCapture 2.0

The KM-01 can also be controlled with DinoCapture 2.0, version 1.4.1 or later, on PC. By using the right and left buttons on the user's mouse, the knob's rotation can be easily controlled, and the MicroTouch on the control box can be used for triggering the software to capture pictures.



Mountable

The KM-01 can be mounted to a 10mm diameter rod on Dino-Lite stands, such as MS35B/ MS36B or on custom made stands.

Model	KM-01 Knob motor
Unit Weight	Knob motor: 340g Control box: 110g
Unit Dimension	KM-01: 77.14mm (L), 65.55mm (W), 98mm (H) Control Box: 100mm (L), 100mm (W), 25mm (H)
Package Dimensions	21.5cm(L) x 18cm(W) x 7cm(H)

Dino-Lite Dino-Lite

cb-ucta



USB-A to USB-C Cable for Dino-Lite Edge^{PLUS} AM8x17 series

6-Foot USB-A to USB-C Cable for Dino-Lite Edge^{PLUS} AM8x17 series

Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

Dino-Lite Dino-Lite

cb-tucu



USB-C to USB-C Cable for Dino-Lite Edge^{PLUS} AM8x17 series

6-Foot USB-C to USB-C Cable for Dino-Lite Edge^{PLUS} AM8x17 series

Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

Dino-Lite Dino-Lite

cb-tumu



USB-A to Micro-USB Cable for Dino-Lite Edge^{PLUS}

6-Foot USB-C to USB-C Cable for Dino-Lite Edge^{PLUS}

For AM8x17 models, see the CB-UCTA or CB-TUCU

Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

Dino-Lite Dino-Lite

cb-tcmu



USB-C to Micro-USB Cable for Dino-Lite Edge^{PLUS}

6-Foot USB-C to Micro-USB Cable for Dino-Lite Edge^{PLUS}

For AM8x17 models, see the CB-UCTA or CB-TUCU

Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

Dino-Lite Dunwell for Dino-Lite

MSAK822



Photo Light Box Adapter For Dino-Lite Microscope

Photo Light Box Adapter for Dino-Lite Microscope cameras. The Dino-Lite Light Box Adapter allows for effortless integration of the Dino Lite digital microscope with many popular light box models (photo light box not included).

Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

Dino-Lite Dunwell for Dino-Lite

MSAA501



Tongue Depressor Attachment

Tongue Depressor Attachment. Connect the MSAA501 to your Dino-Lite handheld and add a tongue depressor to aid in viewing within a mouth.

Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

Dino-Lite Dino-Lite

FCZT-Z-CC1



Lens cover for AM Basic, Pro/Premier Series

Easily snaps onto the plastic nozzle of the Dino-Lite microscope AM2111, 3111, 3113, 4111T, 4113T, AM4113ZT, AM4112, AM4116ZT to protect the lens from dust and debris. The Lens cap is ideal for oil emersion dermatological screenings. Pack of 10 pieces.

Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

Dino-Lite Dino-Lite

CD-Non-UVC



Windows Software NON-UVC VERSION for older legacy models

THIS IS THE NON-UVC VERSION FOR OLDER LEGACY MODELS (5+ years old with 3 digit model numbers; 211, 311, 411).

FOR CURRENT MODELS CLICK HERE

DinoCapture 2.0 software is included with Dino-Lite microscopes and can be installed on multiple computers. The DinoCapture software is frequently updated with new features and updates to keep it running optimally.

This purchase is available for users who require a replacement CD version of the software.

Please note:

- We highly recommend downloading the software instead at no cost whenever possible. This will provide users with instant access to the latest DinoCapture software as well as all future updates.
- If the computer requiring this software has no internet connection, try downloading the software from another computer and save to a USB drive to transfer the installation.
- Due to the frequent releases of updates, the CD version will likely be a previous version.
- Shipping and handling costs and shipping time apply to the purchase of the CD.
- For users still requiring the CD version, please make sure you select the correct version of the software as noted below.

There are 2 CD versions, please see the chart below to determine which CD you require.

See: [How to find model or serial number](#)

4-digit model numbers, purchase the UVC version	3-digit model number, purchase the Non-UVC version
---	--

Dino-Lite Basic 2011, 2111 ✓ Dino-Lite Premier 3011, 3111, 3013, 3113, 3613, 3713, 4011, 4111, 4013, 4113, 4023, 7013, 7023 ✓ Dino-Lite Edge 4115, 4515, 4815, 7115, 7515, 7915, 73115, 73915, 7025		Dino-Lite Classic 211, 310, 311 ⬇️ Dino-Lite Plus 311S, 313, 311H ⬇️ Dino-Lite Pro 411, 413, 423, AMH	
Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

Dino-Lite Series

MSAH292



C-mount adapter for Edge Series Dino-Eye

Designed for Dino-Eye: The MSAH292 is a specially sized fixed position C-mount adapter for our Edge Series Dino-Eye eyepieces. Instead of the adjustable design of our other C-mount adapter, the MSAH292 is designed to position the eyepiece at the specific location required for most C-mount video ports, industrial lenses, and borescope couplers.

This item comes with three parts:

- A. The base tube is the longest of these. It has C-mount threading and three set-screws to lock the eyepiece in place. All setups will require this part and the use of one of the following collars (included)
- B. Most setups will use the drop-in collar for a smooth, enclosed setup.
- C. If your setup requires attaching the eyepiece and lens to a mount you can instead use the mounting collar. It includes standard tripod threading (1/4"-20) in several locations for convenience.

Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

Dino-Lite Dino-Lite

CD-UVC



Windows Software (UVC) for current models

This is the UVC version of the software for current models.

The software for older legacy models from 6+ years ago, with 3 digit model numbers (211, 311, 411) is viewable here: **CD: DinoCapture Non-UVC Models**

DinoCapture 2.0 software is included with Dino-Lite microscopes and can be installed on multiple computers. The DinoCapture software is frequently updated with new features and updates to keep it running optimally.

This purchase is available for users who require a replacement CD version of the software.

Please note:

- We highly recommend downloading the software instead at no cost whenever possible. This will provide users with instant access to the latest DinoCapture software as well as all future updates.
- If the computer requiring this software has no internet connection, try downloading the software from another computer and save to a USB drive to transfer the installation.
- Due to the frequent releases of updates, the CD version will likely be a previous version.
- Shipping and handling costs and shipping time apply to the purchase of the CD.
- For users still requiring the CD version, please make sure you select the correct version of the software as noted below.

There are 2 CD versions, please see the chart below to determine which CD you require. Select the appropriate CD version before adding to Cart.

See: [How to find model or serial number](#)

4-digit model numbers, purchase the UVC version		3-digit model number, purchase the Non-UVC version		
Dino-Lite Basic 2011, 2111✓ Dino-Lite Premier 3011, 3111, 3013, 3113, 3613. 3713, 4011, 4111, 4013, 4113, 4023, 7013, 7023✓ Dino-Lite Edge 4115, 4515, 4815, 7115, 7515, 7915, 73115, 73915, 7025		Dino-Lite Classic 211, 310, 311 ⬇️ Dino-Lite Plus 311S, 313, 311H ⬇️ Dino-Lite Pro 411, 413, 423, AMH		
Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)		Package Includes	Holster
Weight	70g (2.5 oz)		Warranty Period	1 year
Body Material	Metal		Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes		Regulatory Approval	ROHS

Dino-Lite Dino-Lite

MSVA96



Replacement AC Adapter for Dino-Lite TV (RCA/VGA)

Compatible with Products:

Dino-Lite Analog: (AD4XX2, AM4XX2, AM52X2)

Dino-Lite VGA: (AM4116, AM5116, AM5216)

Backlight: BL-ZW1, BL-CDW

WF-10 WiFi Connect

Input : 100~240V AC, 50~60HZ, 500mA

Output: 5V DC, 2.0A

Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

Dino-Lite Dino-Lite

MSVA97



Replacement AC Adapter for Dino-Lite TV (HD/DVI)

Compatible with Products: Dino-Lite HDMI: (AM5018, AM5218)

Input : 100~240V AC, 50~60HZ, 500mA

Output: 5V DC, 2.0A

Outside Diameter: 2.5mm

Polarity: Positive

Dimensions	4.7cm (L) x 3.8cm (W) x 6.3cm (H)	Package Includes	Holster
Weight	70g (2.5 oz)	Warranty Period	1 year
Body Material	Metal	Manufactured in	China
Compatible with	All Dino-Lite Handheld Microscopes	Regulatory Approval	ROHS

BC-120B



BC-120B: Spare battery (1880 mAh) and charger for WF-10.

ADDITIONAL INFO

DETAILS	
Accessory range:	Various
Price range:	€0 - €50,00
ESD-Safe:	No
Dimensions:	-
Weight:	150 g
Compatible with:	WF-10
Package contents:	Spare battery (1880mAh) and USB charger
Warranty:	1 year European warranty

CA1070




Sturdy, watertight case for Dino-Lite microscopes. This heavy duty carrying case with foam inlay protects your Dino-Lite against dust, scratches and moisture. Watertight according to IP67 standard.

ADDITIONAL INFO

DETAILS	
Accessory range:	Various
Price range:	€0 - €50,00
ESD-Safe:	No
Dimensions:	Exterior: 210 x 167 x 90mm Interior: 186 x 123 x 75mm
Weight:	570 g
Compatible with:	All Dino-Lite models
Package contents:	Case, foam inlay
Warranty:	1 year European warranty

CS-30



The CS-30 is a glass calibration slide that can be used to calibrate your Dino-Lite digital microscope or to be used with the Dino-Eye eyepiece cameras. The total length is 10mm (10.000um) and the smallest gradation on the slide is 0.1mm (100um).

ADDITIONAL INFO

DETAILS	
Accessory range:	Various
Price range:	€0 - €50,00
ESD-Safe:	No
Dimensions:	40mm (L) x 20mm (W)
Weight:	10 g
Compatible with:	All Dino-Lite models
Package contents:	1 piece
Warranty:	Not covered under warranty

F25MM



C-mount adapter for rigid endoscopes with a focal length of 25mm. This C-mount adapter connects to rigid, straight through endoscopes with max. 32mm ocular diameter.

ADDITIONAL INFO

DETAILS	
Accessory range:	Various
Price range:	€250,00 - €350,00
ESD-Safe:	No
Dimensions:	48mm (H) x 52mm (W)
Weight:	120 g
Compatible with:	AM4023CT & AM7023CT
Package contents:	Not available
Warranty:	1 year European warranty

FC-L-MA1



The mirror angle adapter fits onto the models with long working distance:
AD4113TL/AD4116TL/AD4112PTL/AD4013MTL/AD4013MZTL/AD7013MTL etc. Mirror angle: 45 °

ADDITIONAL INFO

DETAILS	
Accessory range:	Various
Price range:	€0 - €50,00
ESD-Safe:	Yes
Dimensions:	68mm (L) x 7mm (W/o tip)
Weight:	9 g
Compatible with:	All AD models with long working distance
Package contents:	1 cap
Warranty:	Not covered under warranty

FC-L-TB1



Tubular extension cap with small open end (5mm) for the long working distance models in the AD4113TL/AD4116TL/AD4112PTL/AD4013MTL/AD4013MZTL/AD7013MTL series.

ADDITIONAL INFO

DETAILS	
Accessory range:	Various
Price range:	€0 - €50,00
ESD-Safe:	No
Dimensions:	68mm (L) x 7mm (W tip)
Weight:	9 g
Compatible with:	All AD models with long working distance
Package contents:	1 cap
Warranty:	Not covered under warranty

MS30X



Stand extension kit for MS35B and MS36B. Two extra vertical column elements with connector.

ADDITIONAL INFO

DETAILS	
Accessory range:	Various
Price range:	€0 - €50,00
ESD-Safe:	No
Dimensions:	2.1cm (D) x29.2 cm (L)
Weight:	300 g
Compatible with:	MS35B/MS35BE/MS36B/MS36BE
Package contents:	2 poles, connecting screw
Warranty:	1 year European warranty

MSAA502



Useful for eliminating ambient light or providing an enhanced field of view at optimal distances for various applications. The MSAA502 is not compatible with polarizer models or models in the AD range.

ADDITIONAL INFO

DETAILS	
Accessory range:	Various
Price range:	€0 - €50,00
ESD-Safe:	No
Dimensions:	124mm (H) x 84mm (D)
Weight:	100 g
Compatible with:	Dino-Lite AM models, excluding models with polarizer
Package contents:	1 multipurpose adapter
Warranty:	1 year European warranty

MSAH352



The MSAH352 silicone protective cover enhances durability and protects your Dino-Lite digital microscope. The long lasting silicone skin will shield the microscope from dirt and stains.

ADDITIONAL INFO

DETAILS	
Accessory range:	Various
Price range:	€0 - €50,00
ESD-Safe:	No
Dimensions:	10.6cm (L) x 3.3cm (D)
Weight:	10 g
Compatible with:	All Dino-Lite models
Package contents:	1 silicone protection cover
Warranty:	Not covered under warranty



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: deg@nt-rt.ru || сайт: <https://dino-lite.nt-rt.ru/>